



(University established by M.P. Legislature Act No. 44 of 2011, Under Section 2(f) of UGC)

# AKS University, Satna

Panna Road, Sherganj, Satna (M.P.) - 485001

Examination Time-Table of **M.Tech. BIOTECHNOLOGY 2** Semester/Year

**ATKT EXAMINATION-SEPTEMBER 2017 [ATKT]**

**FACULTY OF LIFE SCIENCE & TECHNOLOGY**

All the students of **M.Tech. BIOTECHNOLOGY 2**-Semester/Year are hereby informed that their semester examination will be held from **04-Oct-2017** as per following schedule.

No	Exam. Date	Timing	Code	Subject/Paper Name
1	Wednesday 4 Oct, 2017	2:00PM - 5:00PM	55MBT203	APPLIED BIOINFORMATICS AND MOLECULAR MODELLING
2	Friday 6 Oct, 2017	2:00PM - 5:00PM	55MBT202	QUALITY CONTROL MANAGEMENT IN BIOTECHNOLOGY
3	Saturday 7 Oct, 2017	2:00PM - 5:00PM	55MBT201	INDUSTRIAL ENZYMES AND ITS APPLICATION
4	Monday 9 Oct, 2017	2:00PM - 5:00PM	55MBT204	WASTE MANAGEMENT
5	Tuesday 10 Oct, 2017	2:00PM - 5:00PM	55MBT205	BIOPROCESS EQUIPMENT DESIGN

**Notes:-**

- 1.The date & time of practical examination shall be finalized by the concerning department head in consultation with the examiners appointed by the University and shall be notified to the candidates by the department heads.
- 2.The student will be responsible to know and note the date and time of the examination of his/her subject/papers.
- 3.Unawareness of examination dates and timing will not be considered as an excuse for absenteeism from examination.
- 4.Appearance in the examination of all concerned subjects and papers is compulsory.
- 5.The sequence of the papers in examination schedule can be changed, at any time, by the University.
- 6.Students are advised to check their concerned subjects & question papers w.r.t. their scheme of examination.
- 7.Any grievance with regard to the question paper has to be submitted to the Controller of Examination through the Centre Superintendent within three days from the date of examination. It would be not entertained after the stipulated time.

Place : **Satna**

Date : **27-Sep-2017**

**Controller of Examination**

